

Trade name: LUKOIL NAVIGO MCL

Current version : 4.0.0, issued: 10.04.2015

Replaced version: 3.0.0, issued: 26.03.2013

Region: GB

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1 Product identifier**

Trade name

LUKOIL NAVIGO MCL
NAVIGO 50 MCL, NAVIGO 70 MCL,
NAVIGO 70 MCL AW, NAVIGO 100 MCL

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture

Engine Lubrication

Uses advised against

No data available.

1.3 Details of the supplier of the safety data sheet

Address

OOO LLK-INTERNATIONAL
6, Malaya Yakimanka
119180 Moscow, Russia

Telephone no. +7-495-981-71-14

Fax no. +7-495-981-76-84

Information provided by / telephone

+7-495-981-71-14 (9:00 - 17:00)

Advice on Safety Data Sheet

sdb_info@umco.de

Supplier

Address

LUKOIL Marine Lubricants Germany GmbH
Große Bäckerstraße 13
20095 Hamburg

Telephone no. +49 40 180 4220 60

1.4 Emergency telephone number

For medical advice (in German and English):

+49 (0)551 192 40 (Gif tinformat ionszentrum Nord)

SECTION 2: Hazards identification**2.1 Classification of the substance or mixture**

Classification in accordance with Regulation (EC) No 1272/2008 (CLP)

Aquatic Chronic 3; H412

Classification in accordance with Directive 67/548/EEC or 1999/45/EC

R52/53

2.2 Label elements**Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)**

Hazard pictograms

-

Signal word

-

Hazard statements

H412

Harmful to aquatic life with long lasting effects.

Trade name: LUKOIL NAVIGO MCL

Current version : 4.0.0, issued: 10.04.2015

Replaced version: 3.0.0, issued: 26.03.2013

Region: GB

Hazard statements (EU)

EUH208

Contains Salts of alkyl hydroxybenzoic acids, Benzoic acid, hydroxy-, mono-C20-28-branched alkyl derivs., calcium salts (2:1). May produce an allergic reaction.

Precautionary statements

P273

Avoid release to the environment.

P501

Dispose of contents/container in accordance with local and national regulations.

2.3 Other hazards

No data available.

SECTION 3: Composition/information on ingredients**3.1 Substances**

Not applicable. The product is not a substance.

3.2 Mixtures**Chemical characterization**

Mixture (preparation)

Hazardous ingredients

No	Substance name			Additional information	
	CAS / EC / Index / REACH no	Classification 67/548/EEC	Classification (EC) 1272/2008 (CLP)	Concentration	%
1	Phenol, 2,2'-polythiobis[4-C8-30-alkyl derivs., calcium salts, overbased				
	90480-91-4 291-829-9 -	R53	Aquatic Chronic 4; H413	> 1.00 - < 5.00	%-b.w.
2	Calcium long chain alkaryl sulfonate				
	- - -	R53	Aquatic Chronic 4; H413	> 1.00 - < 5.00	%-b.w.
3	Branched alkylphenol and Calcium branched alkylphenol				
	74499-35-7 - -	Repr.Cat.2; R60 Xi; R36/38 N; R50/53	Aquatic Acute 1; H400 Repr. 1B; H360 Skin Irrit. 2; H315 Aquatic Chronic 1; H410 Eye Irrit. 2; H319	> 0.50 - < 1.00	%-b.w.
4	Phenol, dodecyl-, branched				
	121158-58-5 310-154-3 - -	Repr.Cat.3; R62 Xi; R36/38 N; R50/53	Aquatic Acute 1; H400 Repr. 2; H361f Skin Irrit. 2; H315 Aquatic Chronic 1; H410 Eye Irrit. 2; H319	> 0.50 - < 1.00	%-b.w.
5	Salts of alkyl hydroxybenzoic acids				
	220795-13-1 - - -	Xi; R38 R53 R43	Aquatic Chronic 4; H413 Skin Irrit. 2; H315 Skin Sens. 1; H317	< 0.50	%-b.w.
6	Benzoic acid, hydroxy-, mono-C20-28-branched alkyl derivs., calcium salts (2:1)				
	900185-23-1 - - -	Xi; R38 R53 R43	Aquatic Chronic 4; H413 Skin Irrit. 2; H315 Skin Sens. 1; H317	< 0.50	%-b.w.

Full Text for all R-phrases , H-phrases and EUH-phrases: pls. see section 16

Trade name: LUKOIL NAVIGO MCL

Current version : 4.0.0, issued: 10.04.2015

Replaced version: 3.0.0, issued: 26.03.2013

Region: GB

No	Note	Specific concentration limits	M-factor (acute)	M-factor (chronic)
3	-	Repr. 1B; H360: C \geq 1.5%	-	-

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

In case of persisting adverse effects, consult a physician. Remove contaminated clothing and shoes immediately, and launder thoroughly before reusing.

After inhalation

Remove affected persons from dangerous area by observing suitable respiratory protection measures. Irregular breathing/no breathing: artificial respiration.

After skin contact

Wash off immediately with soap and water.

After eye contact

Separate eyelids, wash the eyes thoroughly with water (15 min.).

After ingestion

Do not induce vomiting. Call a doctor immediately. Never give anything by mouth to an unconscious person.

4.2 Most important symptoms and effects, both acute and delayed

No data available.

4.3 Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Foam; Extinguishing powder; Water spray jet; Carbon dioxide

Unsuitable extinguishing media

High power water jet

5.2 Special hazards arising from the substance or mixture

In the event of fire, the following can be released: Carbon dioxide (CO₂); Carbon monoxide (CO)

5.3 Advice for firefighters

Use self-contained breathing apparatus. Wear protective clothing. Cool endangered containers with water spray jet.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Refer to protective measures listed in sections 7 and 8. Ensure adequate ventilation. Avoid contact with skin, eyes and clothing.

For emergency responders

No data available. Personal protective equipment (PPE) - see Section 8.

6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater.

6.3 Methods and material for containment and cleaning up

Prevent spread over a wide area (by containment with sand or earth). Take up with absorbent material (e.g., sand, kieselguhr, universal binder). When picked up, treat material as prescribed under heading "Disposal considerations".

6.4 Reference to other sections

No data available.

Trade name: LUKOIL NAVIGO MCL

Current version : 4.0.0, issued: 10.04.2015

Replaced version: 3.0.0, issued: 26.03.2013

Region: GB

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Provide good ventilation of working area (local exhaust ventilation, if necessary). Product inherent handling risks must be minimised taking the appropriate measures for protection and preventive actions. The working process should be designed to rule out the release of hazardous substances or skin contact as far it is possible by the state of the art.

General protective and hygiene measures

Do not eat, drink or smoke during work time. Keep away from foodstuffs and beverages. Remove soiled or soaked clothing immediately. Avoid contact with eyes and skin. Do not inhale vapours.

Advice on protection against fire and explosion

Keep away from sources of heat and ignition.

7.2 Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions

Keep container tightly closed in a well-ventilated place. Protect from heat and direct sunlight.

Requirements for storage rooms and vessels

Store product in closed containers. Storage rooms must be properly ventilated. Emptied containers may contain product residues and therefore must be handled with care.

Reuse only after appropriate cleaning.

Advice on storage assembly

Do not store together with: Oxidizing agents; Acids

7.3 Specific end use(s)

No data available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

No parameters available for monitoring.

8.2 Exposure controls

Appropriate engineering controls

No data available.

Personal protective equipment

Respiratory protection

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn. In case of aerosol and mist formation, take appropriate measures for breathing protection in the event workplace threshold values are not specified.

Eye / face protection

Safety glasses with side protection shield (EN 166)

Hand protection

Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Before use, the protective gloves should be tested in any case for its specific work-station suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

Appropriate Material neoprene

Appropriate Material nitrile

Other

Normal chemical work clothing. rubber boots

Environmental exposure controls

No data available.

Trade name: LUKOIL NAVIGO MCL

Current version : 4.0.0, issued: 10.04.2015

Replaced version: 3.0.0, issued: 26.03.2013

Region: GB

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Form/Colour	
liquid	
brownish yellow	
Odour	
No data available	
Odour threshold	
No data available	
pH value	
No data available	
Boiling point / boiling range	
No data available	
Melting point / melting range	
No data available	
Decomposition point / decomposition range	
No data available	
Flash point	
Value	240 °C
Method	ASTM D 92
Auto-ignition temperature	
No data available	
Oxidising properties	
No data available	
Explosive properties	
No data available	
Flammability (solid, gas)	
No data available	
Lower flammability or explosive limits	
No data available	
Upper flammability or explosive limits	
No data available	
Vapour pressure	
No data available	
Vapour density	
No data available	
Evaporation rate	
No data available	
Relative density	
No data available	
Density	
Value	925 - 960 kg/m ³
Reference temperature	15 °C
Method	EN ISO 12185
Solubility in water	
Remarks	insoluble

Trade name: LUKOIL NAVIGO MCL

Current version : 4.0.0, issued: 10.04.2015

Replaced version: 3.0.0, issued: 26.03.2013

Region: GB

Solubility(ies)	
No data available	

Partition coefficient: n-octanol/water	
No	Product Name
1	LUKOIL NAVIGO MCL NAVIGO 50 MCL, NAVIGO 70 MCL, NAVIGO 70 MCL AW, NAVIGO 100 MCL
log Pow	> 3

Viscosity	
Value	20.0 cSt
Reference temperature	100 °C
Type	kinematic
Method	ASTM D 445

9.2 Other information

Other information
No data available.

SECTION 10: Stability and reactivity

10.1 Reactivity

No data available.

10.2 Chemical stability

No data available.

10.3 Possibility of hazardous reactions

No data available.

10.4 Conditions to avoid

Heat

10.5 Incompatible materials

Oxidizing agents; Acids

10.6 Hazardous decomposition products

No hazardous decomposition products known.

Trade name: LUKOIL NAVIGO MCL

Current version : 4.0.0, issued: 10.04.2015

Replaced version: 3.0.0, issued: 26.03.2013

Region: GB

SECTION 11: Toxicological information**11.1 Information on toxicological effects**

Acute oral toxicity
No data available
Acute dermal toxicity
No data available
Acute inhalational toxicity
No data available
Skin corrosion/irritation
No data available
Serious eye damage/irritation
No data available
Respiratory or skin sensitisation
No data available
Germ cell mutagenicity
No data available
Reproduction toxicity
No data available
Carcinogenicity
No data available
STOT-single exposure
No data available
STOT-repeated exposure
No data available
Aspiration hazard
No data available
Delayed and immediate effects as well as chronic effects from short and long-term exposure
Repeated and prolonged skin contact may cause removal of natural fat from the skin and irritation of the skin. Inhalation of vapours from the heated product can cause irritation of the respiratory tract and the eyes.

Trade name: LUKOIL NAVIGO MCL

Current version : 4.0.0, issued: 10.04.2015

Replaced version: 3.0.0, issued: 26.03.2013

Region: GB

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish (acute)

No data available

Toxicity to fish (chronic)

No data available

Toxicity to Daphnia (acute)

No data available

Toxicity to Daphnia (chronic)

No data available

Toxicity to algae (acute)

No data available

Toxicity to algae (chronic)

No data available

Bacteria toxicity

No data available

12.2 Persistence and degradability

No data available.

12.3 Bioaccumulative potential

Partition coefficient: n-octanol/water

1	LUKOIL NAVIGO MCL NAVIGO 50 MCL, NAVIGO 70 MCL, NAVIGO 70 MCL AW, NAVIGO 100 MCL
---	--

log Pow	>	3
---------	---	---

12.4 Mobility in soil

No data available.

12.5 Results of PBT and vPvB assessment

No data available.

12.6 Other adverse effects

No data available.

12.7 Other information

Other information

Ecological data are not available.

Do not discharge product unmonitored into the environment.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

Packaging

Residuals must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer.

Trade name: LUKOIL NAVIGO MCL

Current version : 4.0.0, issued: 10.04.2015

Replaced version: 3.0.0, issued: 26.03.2013

Region: GB

SECTION 14: Transport information

14.1 Transport ADR/RID/ADN

The product is not subject to ADR/RID/ADN regulations.

14.2 Transport IMDG

The product is not subject to IMDG regulations.

14.3 Transport ICAO-TI / IATA

The product is not subject to ICAO-TI / IATA regulations.

14.4 Other information

No data available.

14.5 Environmental hazards

Information on environmental hazards, if relevant, please see 14.1 - 14.3.

14.6 Special precautions for user

No data available.

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not relevant

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

REACH candidate list of substances of very high concern (SVHC) for authorisation

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, PREPARATIONS AND ARTICLES

The product is considered being subject to REACH regulation (EC) 1907/2006 annexe XVII.	No 3
---	------

Council Directive 96/82/EC on the control of major-accident hazards involving dangerous substances

Remarks Annex I, part 1 + 2: not mentioned. With regard to possibly appropriate decomposition products see Chapter 10.

National regulations

National chemical inventories

TSCA (USA) listed

15.2 Chemical safety assessment

No data available.

SECTION 16: Other information

Sources of key data used to compile the data sheet:

EC Directive 67/548/EC resp. 1999/45/EC as amended in each case.

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

EC Directives 2000/39/EC, 2006/15/EC, 2009/161/EU

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding chapter.

Trade name: LUKOIL NAVIGO MCL

Current version : 4.0.0, issued: 10.04.2015

Replaced version: 3.0.0, issued: 26.03.2013

Region: GB

Full text of the R-, H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)

R36/38	Irritating to eyes and skin.
R38	Irritating to skin.
R43	May cause sensitisation by skin contact.
R50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
R52/53	Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
R53	May cause long-term adverse effects in the aquatic environment.
R60	May impair fertility.
R62	Possible risk of impaired fertility.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H360	May damage fertility or the unborn child
H361f	Suspected of damaging fertility.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H413	May cause long lasting harmful effects to aquatic life.

Department issuing safety data sheet

UMCO Umwelt Consult GmbH
Georg-Wilhelm-Str. 183 , D-21107 Hamburg
Tel.: +49 40 / 79 02 36 300 Fax: +49 40 / 79 02 36 357 e-mail: umco@umco.de

This information is based on our present state of knowledge and experience.
The security data sheet describes products with a view to the security requirements.
However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship.

Alterations/supplements:

Alterations to the previous edition are marked in the left-hand margin.